# Safety Data Sheet ULTRABOND ECO 373

Safety Data Sheet dated: 12/02/2024 - version 5

Date of first edition: 04/01/2016



## 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRABOND ECO 373

Trade code: 9019423

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



#### Classification of the chemical

Eye irritation, Category 2A

Causes serious eye irritation.

#### **Label elements**

# **Hazard pictograms and Signal Word**



Warning

#### **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

8 to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substances

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

# List of components

Qty Name Ident. Numb. Classification

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 1 of 8

CAS:124-68-5 EC:204-709-8 Index:603-070-00-6

Skin Irrit. 2, H315; Aquatic Chronic 3, H412; Flam. Liq. 4, H227; Eye Dam. 1, H318

#### 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

1-2.5 %

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Most important symptoms/effects, acute and delayed

Eve irritation

Eye damages

#### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Print date 03/14/2025 Production Name **ULTRABOND ECO 373** 2 of 8 Page n.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Aminomethylpropanol CAS: 124-68-5

#### **Community Occupational Exposure Limits (OEL)**

OEL Country **Occupational Exposure Limit** Type 2-amino-2-methylpropanol; MAK **GFRMANY** Long Term: 3.7 mg/m3 - 1 ppm

> MAK SWITZERLAN Long Term: 8.7 mg/m3 - 2.4 ppm

Appropriate engineering controls: Not available

#### Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste beige

Odour: mild

Odour threshold: Not Relevant

pH: 9.70

Melting point / freezing point: 0 °C (32 °F)

Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: 100 °C (212 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant Vapour pressure: 2.34 (kPa 50>C) Relative density: 1.01 g/cm3 Solubility in water: dispersible Solubility in oil: dispersible

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Print date 03/14/2025 Production Name **ULTRABOND ECO 373** 3 of Page n.

Viscosity: 47,000.00 mPA-s

Kinematic viscosity: > 20,5 mm2/sec (40 °C) mm2/s

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

#### Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

## 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

#### Chemical stability

Data not available.

# Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

#### **Hazardous decomposition products**

None.

#### 11. TOXICOLOGICAL INFORMATION

## Information on toxicological effects

# **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation The product is classified: Eye irritation, Category 2A(H319)

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met  $% \left( 1\right) =\left( 1\right) \left( 1\right) +\left( 1\right) \left( 1\right) \left( 1\right) +\left( 1\right) \left( 1\right)$ 

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

# Toxicological information on main components of the mixture:

2-amino-2- a) acute toxicity

methylpropanol; Aminomethylpropanol LD50 Skin Rabbit > 2000 mg/kg

LD50 Oral Rat = 2900 mg/kg

# Substance(s) listed on the IARC Monographs:

None

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 4 of 8

#### Substance(s) listed as OSHA Carcinogen(s):

None

## Substance(s) listed as NIOSH Carcinogen(s):

None

# Substance(s) listed on the NTP report on Carcinogens:

None

## 12. ECOLOGICAL INFORMATION

#### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### List of Eco-Toxicological properties of the components

#### Component Ident. Numb. Ecotox Data

2-amino-2-methylpropanol; CAS: 124-68-5 - a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 190 mg/L 96h

Aminomethylpropanol EINECS: 204- IUCLID

709-8 - INDEX: 603-070-00-6

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 193 mg/L 48h

**IUCLID** 

a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus = 520 mg/L

72h IUCLID

### Persistence and degradability

N.A.

## **Bioaccumulative potential**

N.A.

## Mobility in soil

N.A.

## Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

# **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

# Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 5 of 8

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

# **UN** proper shipping name

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

#### Transport hazard class(es)

DOT-Hazard Class: Not Applicable ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

# **Packing group**

DOT Packing Group: Not Applicable ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

## Special precautions

Department of Transportation (DOT):

Not Applicable

Road and Rail ( ADR-RID ):

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

## 15. REGULATORY INFORMATION

# **USA - Federal regulations**

# **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

## **TSCA listed substances:**

2-amino-2-methylpropanol; is listed in TSCA Section 8b Aminomethylpropanol

# SARA - Superfund Amendments and Reauthorization Act

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

## **CAA - Clean Air Act**

# **CAA listed substances:**

No substances listed

# **CWA - Clean Water Act**

# **CWA listed substances:**

No substances listed

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 6 of 8

## **USA - State specific regulations**

#### **California Proposition 65**

Substance(s) listed under California Proposition 65:

No substances listed

#### Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

2-amino-2-methylpropanol; Aminomethylpropanol

#### Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

2-amino-2-methylpropanol; Aminomethylpropanol

#### New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

2-amino-2-methylpropanol; Aminomethylpropanol

#### Canada - Federal regulations

#### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

This product complies with NDSL inventory

### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## **16. OTHER INFORMATION**

Safety Data Sheet dated: 12/2/2024 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description	
H227	Combustible liquid	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H412	Harmful to aquatic life with long lasting effects.	
Code	Hazard class and hazard category	Description
Code A.2/2	Hazard class and hazard category Skin Irrit. 2	<b>Description</b> Skin irritation, Category 2
	5 ,	•
A.2/2	Skin Irrit. 2	Skin irritation, Category 2
A.2/2 A.3/1	Skin Irrit. 2 Eye Dam. 1	Skin irritation, Category 2 Serious eye damage, Category 1

# Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

 ${\it CAS:} \ \ {\it Chemical Abstracts Service (division of the American Chemical Society)}.$ 

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 7 of 8

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION

Print date 03/14/2025 Production Name ULTRABOND ECO 373 Page n. 8 of 8