

## Safety Data Sheet

### ULTRACOAT RENEWIT CLEANER

Safety Data Sheet dated: 06/16/2021 - version 4

Date of first edition: 03/17/2016



## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: ULTRACOAT RENEWIT CLEANER

Trade code: 9073827

### Recommended use of the chemical and restrictions on use

Recommended use: Cleaner

Restrictions on use: Not available

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION

### Classification of the chemical

0 The product is not classified as hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Label elements

The product is not classified as hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Ingredient(s) with unknown acute toxicity:

None

### Hazards not otherwise classified identified during the classification process:

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

Not available

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Concentration (%) w/w	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	isopropyl alcohol; Isopropanol	CAS:67-63-0 EC:200-661-7 Index:603-117-00-0	Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	N.A.
1-2.5 %	1-butoxy-2-propanol; Propylene glycol monobutyl ether	CAS:5131-66-8	Eye Irrit. 2A, H319; Skin Irrit. 2, H315	

## 4. FIRST AID MEASURES

### Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### **Most important symptoms/effects, acute and delayed**

Not available

### **Indication of any immediate medical attention and special treatment needed**

Treatment: Not available  
(see paragraph 4.1)

---

## **5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

### **Unsuitable extinguishing media:**

None in particular.

### **Specific hazards arising from the chemical**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available

Oxidizing properties: Not available

### **Special protective equipment and precautions for fire-fighters**

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### **Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

---

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### **Conditions for safe storage, including any incompatibilities**

Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

---

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

#### **List of components with OEL value**

Component	OEL Type	Country	Ceiling	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour	Note
isopropyl alcohol; Isopropanol	ACGIH				200		400		A4
	OSHA			980	400				
	ACGIH				200		400		A4 - Not Classifiable as a Human Carcinogen; CNS impairment; eye and upper

respiratory tract irritation;

MAK	GERMANY	500	200		
ACGIH			200	400	
MAK	AUSTRIA	500	200	2000	800
MAK	SWITZERLAND	500	200		

A4 - Not Classifiable as a Human Carcinogen; CNS impairment; eye and upper respiratory tract irritation

#### Biological Exposure Index

Component	CAS-No.	Value	UoM	Medium	Biological Indicator	Sampling Period
isopropyl alcohol; Isopropanol	67-63-0	40	mg/L	Urine	Acetone	End of turn; End of working week

Appropriate engineering controls: Not available

#### Individual protection measures

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Yellow

Odour: Like: Alcohol

Odour threshold: No data available

pH: 3.80

Melting point / freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F)

Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available

Vapour pressure: No data available

Relative density: No data available

Solubility in water: Soluble

Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

Solid/gas flammability: No data available

### Other information

Substance Groups relevant properties No data available

Miscibility: No data available

Fat Solubility: No data available

Conductivity: No data available

---

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological information of the product:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information of the main substances found in the product:

isopropyl alcohol; Isopropanol	a) acute toxicity	LD50 Oral Rat 5500 mg/kg
		LC50 Inhalation Rat 72,6 mg/l
		LD50 Skin Rabbit 12870 mg/kg
		LC50 Inhalation Rat = 16000 ppm 8h
		LD50 Skin Rabbit = 4059 mg/kg
		LC50 Inhalation Rat = 72600 mg/m3 4h
		LD50 Oral Rat = 1870 mg/kg
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat 1
1-butoxy-2-propanol; Propylene glycol monobutyl ether	a) acute toxicity	LD50 Oral Rat = 1900 mg/kg

**If not differently specified, the information required in the regulation and listed below must be considered as N.A.**

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

#### Substance(s) listed on the IARC Monographs:

isopropyl alcohol; Isopropanol      Group 3

#### Substance(s) listed as OSHA Carcinogen(s):

None

#### Substance(s) listed as NIOSH Carcinogen(s):

None

**Substance(s) listed on the NTP report on Carcinogens:**

None

**12. ECOLOGICAL INFORMATION****Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of components with eco-toxicological properties**

Component	Ident. Numb.	Ecotox Infos
isopropyl alcohol; Isopropanol	CAS: 67-63-0 - EINECS: 200- 661-7 - INDEX: 603-117-00-0	LC50 Fish Pimephales promelas 9640 mg/L 96h „Veith, G.D., Call, D.J. & Brooke, L.T., Estimating the Acute Toxicity of Narcotic Industrial Chemicals to Fathead Minnows. In: Bishop, W.E., Cardwell, R.D. & Heidolph, B.B. Eds. Aquatic Toxicology and Hazard Assessment: 6th Symp., ASTM STP 802, Philadelphia  LC100 Fish Leuciscus idus melanotus 9750 mg/L 48h „Juhnke, I. Ludemann, D.: Ergebnisse der Untersuchung von 200 chemischen Verbindungen auf akute Fischtoxizität mit dem Goldorfen test. Z. Wasser-Abwasser-Forschung 11 (1978) 161-164. - 9750 10920 mg/L  LC50 Fish Leuciscus idus melanotus 8970 mg/L 48h „Juhnke, I. Ludemann, D.: Ergebnisse der Untersuchung von 200 chemischen Verbindungen auf akute Fischtoxizität mit dem Goldorfen test. Z. Wasser-Abwasser-Forschung 11 (1978) 161-164. - 8970 9280 mg/L  EC0 Daphnia Daphnia magna > 10000 mg/L 24h „Bringmann, G. & Kuehn, R., Results of the Damaging Effect of Water Pollutants on Daphnia magna, Z. Wasser Abwasser Forsch., 10(5), 1977, 161 - 166.  EC50 Daphnia Daphnia magna 9700 mg/L 24h „Bringmann, G. Kuhn, R.: Ergebnisse der Schadwirkung wassergefährdender Stoffe gegen Daphnia magna in einem weiterentwickelten standardisierten Testverfahren. Z.Wasser-Abwasser-Forschung 15 (1982) 1-6.  EC100 Daphnia Daphnia magna > 10000 mg/L 24h „Bringmann, G. Kuhn, R.: Ergebnisse der Schadwirkung wassergefährdender Stoffe gegen Daphnia magna in einem weiterentwickelten standardisierten Testverfahren. Z.Wasser-Abwasser-Forschung 15 (1982) 1-6.  EC10 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) > 1000 mg/L 96h „Knacker, T. Lebertz, H. Klopffer, W. Zietz, E. Brodsky, J. Oppelt, B. Hilt, J. Spychala, U. Reifenberg, P. Millhoff, H. Kohl, E.G.: Experimentelle Bestimmung von Stoffdaten zur Einstufung "umweltgefährlich  EC90 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) > 1000 mg/L 96h „Knacker, T. Lebertz, H. Klopffer, W. Zietz, E. Brodsky, J. Oppelt, B. Hilt, J. Spychala, U. Reifenberg, P. Millhoff, H. Kohl, E.G.: Experimentelle Bestimmung von Stoffdaten zur Einstufung "umweltgefährlich  EC50 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) > 1000 mg/L 96h „Knacker, T. Lebertz, H. Klopffer, W. Zietz, E. Brodsky, J. Oppelt, B. Hilt, J. Spychala, U. Reifenberg, P. Millhoff, H. Kohl, E.G.: Experimentelle Bestimmung von Stoffdaten zur Einstufung "umweltgefährlich  LOEC Algae Scenedesmus quadricauda 1800 mg/L 7d „Bringmann, G. & Kuehn, R., Comparison of the Toxicity Thresholds of Water Pollutants to Bacteria, Algae and Protozoa in the Cell Multiplication Inhibition Test, Water Research, 14, 1980, 231 - 241.  a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 9640 mg/L 96h IUCLID  a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus > 1400000 µg/L 96h EPA  a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 13299 mg/L 48h IUCLID  a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus > 1000 mg/L 96h IUCLID  a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus > 1000 mg/L 72h IUCLID  a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 11130 mg/L 96h

**Persistence and degradability**

Not available

**Bioaccumulative potential**

Not available

**Mobility in soil**

Not available

**Other adverse effects**

Not available

---

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

**Methods of disposal:**

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

**Disposal considerations:**

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

**Special precautions:**

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

**14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

**UN number**

ADR-UN number: Not available

DOT-UN Number: Not available

IATA-Un number: Not available

IMDG-Un number: Not available

**UN proper shipping name**

ADR-Shipping Name: Not available

DOT-Proper Shipping Name: Not available

IATA-Technical name: Not available

IMDG-Technical name: Not available

**Transport hazard class(es)**

ADR-Class: Not available

DOT-Hazard Class: Not available

IATA-Class: Not available

IMDG-Class: Not available

**Packing group**

ADR-Packing Group: Not available

DOT-Packing group: Not available

IATA-Packing group: Not available

IMDG-Packing group: Not available

**Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not available

**Special precautions**

Department of Transportation (DOT):

Not available

Road and Rail (ADR-RID) :

Not available

Air (IATA) :

Not available

Sea (IMDG) :

Not available

---

## 15. REGULATORY INFORMATION

### USA - Federal regulations

#### TSCA - Toxic Substances Control Act

##### TSCA inventory:

All the components are listed on the TSCA inventory

##### TSCA listed substances:

isopropyl alcohol; Isopropanol is listed in TSCA Section 8b

1-butoxy-2-propanol; Propylene glycol monobutyl ether is listed in TSCA Section 8b

#### SARA - Superfund Amendments and Reauthorization Act

##### Section 302 - Extremely Hazardous Substances:

No substances listed

##### Section 304 - Hazardous substances:

No substances listed

##### Section 313 - Toxic chemical list:

isopropyl alcohol; Isopropanol

#### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

##### Substance(s) listed under CERCLA:

No substances listed

#### CAA - Clean Air Act

##### CAA listed substances:

No substances listed

#### CWA - Clean Water Act

##### CWA listed substances:

No substances listed

### USA - State specific regulations

#### California Proposition 65

##### Substance(s) listed under California Proposition 65:

No substances listed

#### Massachusetts Right to know

##### Substance(s) listed under Massachusetts Right to know:

isopropyl alcohol; Isopropanol

#### Pennsylvania Right to know

##### Substance(s) listed under Pennsylvania Right to know:

isopropyl alcohol; Isopropanol

#### New Jersey Right to know

##### Substance(s) listed under New Jersey Right to know:

isopropyl alcohol; Isopropanol

### Canada - Federal regulations

#### DSL - Domestic Substances List

##### DSL (Domestic Substances List)

All the substances are listed in the DSL.

#### NDSL - Non Domestic Substances List

##### NDSL (Non Domestic Substances List)

No substances listed

#### NPRI - National Pollutant Release Inventory

## NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

### 16. OTHER INFORMATION

Safety Data Sheet dated: 6/16/2021 - version 4

#### Additional classification information

NFPA Health: 0 = Minimal

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal

NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

#### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 11. TOXICOLOGICAL INFORMATION